

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	"20020046247"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/01 11:11
L7	9967	709/206.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/01 13:07
L8	18	((l7) and (email or e-mail or electronic mail) near5 (image \$2 or document\$2 or file\$2 or attachment\$2) and (creat\$4 or mak\$4) near5 (password) and (database or server) and (mail\$5) near4 (back or return \$4) same (password or identification or user)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/01 13:07
S1	2	((@ad<="20021128") and (user) near5 (send\$4 or transmit\$4) near5 (email or mail) same (server) and (server) same (creat\$2 or send\$2) near5 (password) same (list\$4 or group) near5 (address or "receptient" or "receptients")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 12:32
S2	2	((@ad<="20021128") and (user) near5 (send\$4 or transmit\$4) near5 (email or mail) same (server) and (server) same (creat\$2 or send\$2) near5 (password) same (list\$4 or group) near5 (address or "receptient" or "receptients" or friend\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 12:34
S3	2	((@ad<="20021128") and (user) near5 (send\$4 or transmit\$4) near5 (email or mail) same (server) and (server) same (creat\$2 or send\$2 or shar\$4) near5 (password) same (list\$4 or group) near5 (address or "receptient" or "receptients" or friend\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 12:35

S4	43	((@ad<="20021128") and (user) near5 (send\$4 or transmit\$4) near5 (email or mail) same (server) and (server) same (creat\$2 or send\$2 or shar\$4) near5 (password) same (address or "receptient" or "receptients" or friend\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 12:36
S5	1	((@ad<="20021128") and (user) near5 (send\$4 or transmit\$4) near5 (email or mail) same (server) and (server) same (creat\$2 or send\$2 or shar\$4) near5 (password) same (address or "receptient" or "receptients" or friend\$2) and (password) same (attachment)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 12:36
S6	8	((@ad<="20021128") and (user) near5 (send\$4 or transmit\$4) near5 (email or mail) same (server) and (server) same (creat\$2 or send\$2 or shar\$4) near5 (password) same (address or "receptient" or "receptients" or friend\$2) and (notice) near3 (mail)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 12:40
S7	2	((@ad<="20021128") and (user) near5 (send\$4 or transmit\$4) near5 (email or mail) same (server) and (server) same (creat\$2 or send\$2 or shar\$4) near5 (password) same (address or "receptient" or "receptients" or friend\$2) and (retrieve or access or open) near5 (attachment)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 12:43
S8	3	((@ad<="20021128") and (user) near5 (send\$4 or transmit\$4) near5 (email or mail) same (server) and (server) same (creat\$2 or send\$2 or shar\$4) near5 (password) same (address or "receptient" or "receptients" or friend\$2) and (retrieve\$4 or access\$4 or open\$4) near5 (attachment)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 12:56

S9	3	((@ad<="20021128") and (user) near5 (send\$4 or transmit\$4) near5 (email or mail) same (server) and (server) same (creat\$4 or send\$4 or shar\$4) near5 (password) same (address or "receipt" or "receipts" or friend\$2) and (retrieve\$4 or access\$4 or open\$4) near5 (attachment)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 12:59
S10	3	((@ad<="20021128") and (user) near5 (send\$4 or transmit\$4 or provid\$4) near5 (email or mail) same (server) and (server) same (creat\$4 or send\$4 or shar\$4) near5 (password) same (address or "receipt" or "receipts" or friend\$2) and (retrieve\$4 or access\$4 or open\$4) near5 (attachment)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 13:00
S11	7	((@ad<="20021128") and (send\$4 or transmit\$4 or provid\$4) near5 (email or mail) same (server) and (server) same (creat\$4 or send\$4 or shar\$4) near5 (password) same (address or "receipt" or "receipts" or friend\$2) and (retrieve\$4 or access\$4 or open\$4) near5 (attachment)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 13:02
S12	9	((@ad<="20021128") and (user) near5 (send\$4 or transmit\$4) near5 (email or mail) same (server) and (server) same (creat\$2 or send\$2 or shar\$4) near5 (password) same (address or "receipt" or "receipts" or friend\$2) and (mail) near4 (attachment or image)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 13:06
S13	44	((@ad<="20021128") and (user) near5 (send\$4 or transmit\$4) near5 (email or mail) same (server) and (server) same (creat\$2 or send\$2 or shar\$4 or broadcast\$4) near5 (password) same (address or "receipt" or "receipts" or friend\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 13:12

S14	2	((@ad<="20021128") and (user) near5 (send\$4 or transmit\$4) near5 (email or mail) same (server) and (server) same (creat\$2 or send\$2 or shar\$4 or broadcast\$4) near5 (password) same ("receptient" or "receptients" or friend\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 13:14
S15	1	inooue.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 13:19
S16	918	tawa.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 13:19
S17	3	kangoori.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 13:19
S18	34950	yoshino.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 13:19
S19	2152	omata.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 13:19
S20	14842	709/206	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 13:20
S21	0	((@ad<="20021128") and (user) near5 (send\$4 or transmit\$4 or provid\$4) near5 (email or mail) same (server) and (server) same (creat\$4 or send\$4 or shar\$4) near5 (password) same (notice) near3 (mail) and (retrieve\$4 or access\$4 or open\$4) near5 (attachment)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 13:23

S22	0	((@ad<="20021128") and (user) near5 (send\$4 or transmit\$4 or provid\$4) near5 (email or mail) same (server) and (server) same (creat\$4 or send\$4 or shar\$4) near5 (password) same (notice) near3 (mail))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 13:26
S23	0	"10611962"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/21 12:20
S24	1	"10/611962"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/21 12:20
S25	28	((@ad<="20021128") and (creat\$4) near5 (password) and (central\$2) same (database or server) and (print\$4) same (input\$4 or enter\$4) near4 (password))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/21 12:36
S26	5	((@ad<="20021128") and (creat\$4 or mak\$4) near5 (password) same (email or e-mail or electronic mail) and (central\$2) same (database or server) and (print\$4) same (input\$4 or enter\$4) near4 (password))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/21 12:42
S27	6	((@ad<="20021128") and (creat\$4 or mak\$4) near5 (password or id or user) near5 (us\$4 or base\$2) near4 (email or e-mail or electronic mail) and (central\$2) same (database or server) and (print\$4) same (input\$4 or enter\$4) near4 (password))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/21 13:28
S28	549	((@ad<="20021128") and (creat\$4 or mak\$4) near5 (password or id or user) near5 (us\$4 or base\$2) near4 (email or e-mail or electronic mail) and (database or server) and (mail\$5) near4 (password or id or user) near4 (user or back))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/21 13:39

S29	56	((@ad<="20021128") and (creat\$4 or mak\$4) near5 (password or id or user) near5 (us\$4 or base\$2) near4 (email or e-mail or electronic mail) and (database or server) and (mail\$5) near4 (back or return\$4) near4 (password or id or user)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/21 13:40
S30	43	(email or e-mail or electronic mail) near5 (document\$2 or file\$2 or image\$2) and (S29)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/21 13:41
S31	2	((@ad<="20021128") and (creat\$4 or mak\$4) near5 (password) near5 (us\$4 or base\$2) near4 (email or e-mail or electronic mail) and (database or server) and (mail\$5) near4 (back or return\$4) near4 (password or id or user)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/21 16:13
S32	7	((@ad<="20021128") and (creat\$4 or mak\$4) near5 (password) near5 (us\$4 or base\$2) near4 (email or e-mail or electronic mail) and (database or server) and (mail\$5) near4 (back or return\$4) same (password or id or user)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/21 16:23
S33	7	((@ad<="20021128") and (creat\$4 or mak\$4) near5 (password) near5 (us\$4 or base\$2) near4 (email or e-mail or electronic mail) and (database or server) and (mail\$5) near4 (back or return\$4) same (password or identification or user)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/21 16:23
S34	12	((@ad<="20021128") and (creat\$4 or mak\$4) near5 (password) same (us\$4 or base\$2) near4 (email or e-mail or electronic mail) and (database or server) and (mail\$5) near4 (back or return\$4) same (password or identification or user)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/21 16:32

S35	3	((@ad<="20021128") and (email or e-mail or electronic mail) near5 (image\$2 or document or file\$2) and (creat\$4 or mak\$4) near5 (password) same (us\$4 or base\$2) near4 (email or e-mail or electronic mail) and (database or server) and (mail\$5) near4 (back or return\$4) same (password or identification or user)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/21 16:51
S36	3	((@ad<="20021128") and (email or e-mail or electronic mail) near5 (image\$2 or document or file\$2 or attachment\$2) and (creat\$4 or mak\$4) near5 (password) same (us\$4 or base\$2) near4 (email or e-mail or electronic mail) and (database or server) and (mail\$5) near4 (back or return\$4) same (password or identification or user)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/21 16:56
S37	47	((@ad<="20021128") and (email or e-mail or electronic mail) near5 (image\$2 or document\$2 or file\$2 or attachment\$2) and (creat\$4 or mak\$4) near5 (password) and (database or server) and (mail\$5) near4 (back or return\$4) same (password or identification or user)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/21 17:18
S38	5	((@ad<="20021128") and (email or e-mail or electronic mail) near5 (image\$2 or document\$2 or file\$2 or attachment\$2) and (creat\$4 or mak\$4) near5 (password) near5 (email or e-mail or electronic mail) and (database or server) and (mail\$5) near4 (back or return\$4) same (password or identification or user)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/21 17:35

EAST Search History (Interference)

<This search history is empty>

12/ 1/ 2010 1:09:22 PM

C:\Documents and Settings\gsmarth\My Documents\EAST\Workspaces\10611962-PrintServicesystem2.pts.wsp